

High-pressure

metering

HAUKO

Your partner for  
the chemical, petrochemical,  
oil and gas industry  
refineries, pharmaceutical  
industry, plastic-, paper and  
detergent, industry  
foodstuffs industry  
power stations, water  
treatment and others





**HAUKE**

## Accuracy – our strength

Capacity range from 0,05 l/h  
and max. pressures up to  
1500 bar

Pumps with up to 16 heads  
with one drive



Head design according to the  
requirements of the clients in  
steel, plastic or special materials

Capacity adjustment through  
stroke adjustment at standstill  
or during operation or speed  
adjustment

**Plunger pumps** with or  
without flushing

**Diaphragm pumps** mecha-  
nically or hydraulically driven  
Steel or Teflon diaphragms  
Diaphragm rupture signal

# metering






**HAUKE**


**Power for demanding operation**

Capacity range from 1.500 l/h up to 240.000 l/h and pressures up to 1500 bar  
Capacity adjustment through speed adjustment

**Triplex (Three-plunger) pumps  
Metering pumps**



**High pressure**





**FAUKE**

**Choose your final product**

with all kinds of pumps, control valves, etc.

for the foodstuffs-, cosmetics-, pharmaceutical industry and process industry

**Maximum**





**Compact design  
ready for connection**

**Dosing units**

Pressures up to 1500 bar  
Special design in Ex for oil  
and gas exploitation fields  
also mobile (Inhibitor  
stations)

**Programmable pump  
control systems**

**Neutralization units  
on a chemical basis**

# dosage units






**HAUKE**

**Made-to-measure /  
client specific**

If the series product does not fit, contact us – we manufacture single, individually designed items

**contro**





**HAUKE**

**ENVIRONMENTAL  
PROTECTION**  
a very important  
issue

**Aerosol measurement  
with impactors made of  
stainless steel**

Particle sizes from 0.0085  
 $\mu\text{m}$  up to 16  $\mu\text{m}$   
up to 12 stages, also rota-  
ting stages

**DMA's – Differential mobi-  
lity analyzers**

Determination of size  
classification from 1 nm up  
to 1000 nm  
Faraday Cup Electrometer

**HAUKE**  
für Dosierpumpen und für  
Steuer- und Regelungsanlagen  
J. 2000 Gmünder Parkstr. 81  
D-32602 Springe 44-101  
Tel. 05743-37131/132  
Telefax 05743-443734-437



particle measurement